



Double BALL BEARINGS CO, LTD



6406ZZ Bearing 2D drawings and 3D CAD models

30,000 mm x 90,000 mm x 23,000 mm NTN
6406ZZ deep groove ball bearings

Bearing No. 6406ZZ

Size	30x90x23 mm
Bore Diameter	30,000 mm
Outer Diameter	90,000 mm
Width	23,000 mm
d	30,000 mm
D	90,000 mm
B	23,000 mm
C	23,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.737
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	30MM Bore; 90MM Outside Diameter; 23MM



Double BALL BEARINGS CO, LTD

	Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6406ZZ/2AS
Weight / LBS	1.629
Outside Diameter	3.543 Inch 90 Millimeter
Bore	1.181 Inch 30 Millimeter
Outer Race Width	0.906 Inch 23 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 0
outside diameter:	90 mm
finish/coating:	Uncoated
overall width:	23 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	23 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	23 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	8800 rpm
internal clearance:	CN
fillet radius:	1.5 mm
operating temperature	-40 to 120 ° C



Double BALL BEARINGS CO, LTD

range:	
maximum rpm:	10000 RPM
dynamic load capacity:	43500 N
series:	64
static load capacity:	23900 N
manufacturer product page:	Click here