




Double BALL BEARINGS CO, LTD



35,000 mm x 72,000 mm x 17,000 mm NTN
N207 cylindrical roller bearings

Bearing No. N207

N207 Bearing 2D drawings and 3D CAD models

Size	35x72x17 mm
Bore Diameter	35,000 mm
Outer Diameter	72,000 mm
Width	17,000 mm
d	35,000 mm
D	72,000 mm
B	17,000 mm
C	17,000 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.3
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes



Double BALL BEARINGS CO, LTD

Inch - Metric	Metric
Other Features	2 Rib Inner Ring Plain Outer Ring Cage On Inner Ring OD
Long Description	35MM Bore; Straight Bore Profile; 72MM Outside Diameter; 17MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	N207
Weight / LBS	0.65
Outside Diameter	2.835 Inch 72 Millimeter
Bore	1.378 Inch 35 Millimeter
Width	0.669 Inch 17 Millimeter
bore diameter:	35 mm
precision rating:	ISO Class 0
outside diameter:	72 mm
maximum rpm:	12000 rpm
overall width:	17 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Inner Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open



Double BALL BEARINGS CO, LTD

internal clearance:	CN
outer ring width:	17 mm
ring separation:	Separable Outer Ring
fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C
series:	N
dynamic load capacity:	50500 N
manufacturer product page:	Click here
static load capacity:	50000 N